Waardenburg syndrome

Waardenburg syndrome is a group of genetic conditions that can cause hearing loss and changes in coloring (pigmentation) of the hair, skin, and eyes. Although most people with Waardenburg syndrome have normal hearing, moderate to profound hearing loss can occur in one or both ears. The hearing loss is present from birth (congenital). People with this condition often have very pale blue eyes or different colored eyes, such as one blue eye and one brown eye. Sometimes one eye has segments of two different colors. Distinctive hair coloring (such as a patch of white hair or hair that prematurely turns gray) is another common sign of the condition. The features of Waardenburg syndrome vary among affected individuals, even among people in the same family.

There are four recognized types of Waardenburg syndrome, which are distinguished by their physical characteristics and sometimes by their genetic cause. Types I and II have very similar features, although people with type I almost always have eyes that appear widely spaced and people with type II do not. In addition, hearing loss occurs more often in people with type II than in those with type I. Type III (sometimes called Klein-Waardenburg syndrome) includes abnormalities of the arms and hands in addition to hearing loss and changes in pigmentation. Type IV (also known as Waardenburg-Shah syndrome) has signs and symptoms of both Waardenburg syndrome and Hirschsprung disease, an intestinal disorder that causes severe constipation or blockage of the intestine.

Frequency

Waardenburg syndrome affects an estimated 1 in 40,000 people. It accounts for 2 to 5 percent of all cases of congenital hearing loss. Types I and II are the most common forms of Waardenburg syndrome, while types III and IV are rare.

Genetic Changes

Mutations in the *EDN3*, *EDNRB*, *MITF*, *PAX3*, *SNAI2*, and *SOX10* genes can cause Waardenburg syndrome. These genes are involved in the formation and development of several types of cells, including pigment-producing cells called melanocytes. Melanocytes make a pigment called melanin, which contributes to skin, hair, and eye color and plays an essential role in the normal function of the inner ear. Mutations in any of these genes disrupt the normal development of melanocytes, leading to abnormal pigmentation of the skin, hair, and eyes and problems with hearing.

Waardenburg syndrome types I and III are caused by mutations in the *PAX3* gene. Mutations in the *MITF* or *SNAI2* gene can cause Waardenburg syndrome type II.

Mutations in the *SOX10*, *EDN3*, or *EDNRB* gene can cause Waardenburg syndrome type IV. In addition to melanocyte development, these genes are important for the development of nerve cells in the large intestine. Mutations in one of these genes result in hearing loss, changes in pigmentation, and intestinal problems related to Hirschsprung disease.

In some cases, the genetic cause of Waardenburg syndrome has not been identified.

Inheritance Pattern

Waardenburg syndrome is usually inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. In most cases, an affected person has one parent with the condition. A small percentage of cases result from new mutations in the gene; these cases occur in people with no history of the disorder in their family.

Some cases of Waardenburg syndrome type II and type IV appear to have an autosomal recessive pattern of inheritance, which means both copies of the gene in each cell have mutations. Most often, the parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but do not show signs and symptoms of the condition.

Other Names for This Condition

Waardenburg's syndrome

Diagnosis & Management

Formal Diagnostic Criteria

 ACT Sheet: Congenital hearing loss >~30db https://www.ncbi.nlm.nih.gov/books/NBK55827/bin/Hearing_Loss.pdf

Genetic Testing

- Genetic Testing Registry: Klein-Waardenberg's syndrome https://www.ncbi.nlm.nih.gov/gtr/conditions/C0342680/
- Genetic Testing Registry: Waardenburg syndrome type 1 https://www.ncbi.nlm.nih.gov/gtr/conditions/C1847800/
- Genetic Testing Registry: Waardenburg syndrome type 2A https://www.ncbi.nlm.nih.gov/gtr/conditions/C1860339/
- Genetic Testing Registry: Waardenburg syndrome type 2B https://www.ncbi.nlm.nih.gov/gtr/conditions/C1838447/
- Genetic Testing Registry: Waardenburg syndrome type 2C https://www.ncbi.nlm.nih.gov/gtr/conditions/C1847722/

- Genetic Testing Registry: Waardenburg syndrome type 2D https://www.ncbi.nlm.nih.gov/gtr/conditions/C1837203/
- Genetic Testing Registry: Waardenburg syndrome type 2E https://www.ncbi.nlm.nih.gov/gtr/conditions/C2700405/
- Genetic Testing Registry: Waardenburg syndrome type 4A https://www.ncbi.nlm.nih.gov/gtr/conditions/C1848519/
- Genetic Testing Registry: Waardenburg syndrome type 4B https://www.ncbi.nlm.nih.gov/gtr/conditions/C2750457/
- Genetic Testing Registry: Waardenburg syndrome type 4C https://www.ncbi.nlm.nih.gov/gtr/conditions/C2750452/

Other Diagnosis and Management Resources

- GeneReview: Waardenburg Syndrome Type I https://www.ncbi.nlm.nih.gov/books/NBK1531
- MedlinePlus Encyclopedia: Waardenburg Syndrome https://medlineplus.gov/ency/article/001428.htm

General Information from MedlinePlus

- Diagnostic Tests
 https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

- Encyclopedia: Waardenburg Syndrome https://medlineplus.gov/ency/article/001428.htm
- Health Topic: Hearing Disorders and Deafness https://medlineplus.gov/hearingdisordersanddeafness.html
- Health Topic: Skin Pigmentation Disorders
 https://medlineplus.gov/skinpigmentationdisorders.html

Genetic and Rare Diseases Information Center

- Waardenburg syndrome https://rarediseases.info.nih.gov/diseases/5525/waardenburg-syndrome
- Waardenburg syndrome type 1 https://rarediseases.info.nih.gov/diseases/5519/waardenburg-syndrome-type-1
- Waardenburg syndrome type 2 https://rarediseases.info.nih.gov/diseases/5520/waardenburg-syndrome-type-2
- Waardenburg syndrome type 3 https://rarediseases.info.nih.gov/diseases/5523/waardenburg-syndrome-type-3
- Waardenburg syndrome type 4
 https://rarediseases.info.nih.gov/diseases/5524/waardenburg-syndrome-type-4

Educational Resources

- Disease InfoSearch: Waardenburg syndrome http://www.diseaseinfosearch.org/Waardenburg+syndrome/7423
- MalaCards: waardenburg's syndrome http://www.malacards.org/card/waardenburgs_syndrome
- Orphanet: Waardenburg-Shah syndrome http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=897
- Orphanet: Waardenburg syndrome type 1 http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=894
- Orphanet: Waardenburg syndrome type 2 http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=895
- Orphanet: Waardenburg syndrome type 3 http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=896

Patient Support and Advocacy Resources

- American Society for Deaf Children http://deafchildren.org/
- National Organization for Rare Disorders (NORD)
 https://rarediseases.org/rare-diseases/waardenburg-syndrome/
- Resource list from the University of Kansas Medical Center: Hard-of-Hearing/ Deafness
 - http://www.kumc.edu/gec/support/hearing.html

GeneReviews

 Waardenburg Syndrome Type I https://www.ncbi.nlm.nih.gov/books/NBK1531

ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22waardenburg+syndrome%22

Scientific Articles on PubMed

 PubMed https://www.ncbi.nlm.nih.gov/pubmed?term=%28Waardenburg's+Syndrome%5B MAJR%5D%29+AND+%28Waardenburg%5BTIAB%5D%29+AND+english%5Bla

%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D

OMIM

- WAARDENBURG SYNDROME, TYPE 1 http://omim.org/entry/193500
- WAARDENBURG SYNDROME, TYPE 2A http://omim.org/entry/193510
- WAARDENBURG SYNDROME, TYPE 2B http://omim.org/entry/600193
- WAARDENBURG SYNDROME, TYPE 2C http://omim.org/entry/606662
- WAARDENBURG SYNDROME, TYPE 2D http://omim.org/entry/608890
- WAARDENBURG SYNDROME, TYPE 2E http://omim.org/entry/611584
- WAARDENBURG SYNDROME, TYPE 3 http://omim.org/entry/148820
- WAARDENBURG SYNDROME, TYPE 4A http://omim.org/entry/277580
- WAARDENBURG SYNDROME, TYPE 4B http://omim.org/entry/613265
- WAARDENBURG SYNDROME, TYPE 4C http://omim.org/entry/613266

Sources for This Summary

- GeneReview: Waardenburg Syndrome Type I https://www.ncbi.nlm.nih.gov/books/NBK1531
- Nayak CS, Isaacson G. Worldwide distribution of Waardenburg syndrome. Ann Otol Rhinol Laryngol. 2003 Sep;112(9 Pt 1):817-20. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/14535568
- Newton VE. Clinical features of the Waardenburg syndromes. Adv Otorhinolaryngol. 2002;61:201-8.
 Review.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12408085
- Pardono E, van Bever Y, van den Ende J, Havrenne PC, lughetti P, Maestrelli SR, Costa F O, Richieri-Costa A, Frota-Pessoa O, Otto PA. Waardenburg syndrome: clinical differentiation between types I and II. Am J Med Genet A. 2003 Mar 15;117A(3):223-35.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12599185
- Pingault V, Ente D, Dastot-Le Moal F, Goossens M, Marlin S, Bondurand N. Review and update of mutations causing Waardenburg syndrome. Hum Mutat. 2010 Apr;31(4):391-406. doi: 10.1002/ humu.21211. Review.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/20127975
- Zaman A, Capper R, Baddoo W. Waardenburg syndrome: more common than you think! Clin Otolaryngol. 2015 Feb;40(1):44-8. doi: 10.1111/coa.12312.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/25200653

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/waardenburg-syndrome

Reviewed: August 2016 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services